

## 3CXPhone Configuration for Windows




**Step 1** Download 3CXPhone

**Step 2** Prepare your SIP Parameter Information

Extension:	Nomado Internal Number (SIP number)
ID:	Nomado Internal Number (SIP number)
Password:	Nomado SIP Password
SIP server:	sip.nomado.eu
Stun:	stun01.sipphone.com

**Step 3** Fill out Extension, ID and Password.

See illustration



Credentials

Enter your SIP account credentials


Extension: 36866736

ID: 36866736

Password: \*\*\*\*\*

**Step 4** Click  I am in the office - local IP and type “[sip.nomado.eu](https://sip.nomado.eu)”

See illustration



My location


Specify the IP of your PBX/SIP server

I am in the office - local IP sip.nomado.eu of PBX

I am out of the office - extern IP of PBX

**Step 5** Click


On Interface select the other IP address rather than the default 127.0.0.1



Interface: 192.168.1.3

Local port: 127.0.0.1, 192.168.1.3

**Step 6** On Stun Server type “stun01.sipphone.com”



STUN server: stun01.sipphone.com

**Step 7** Click OK. Get ready to make and receive phone calls.

Leave everything as is other than mentioned. Your settings should only have the information as shown below.

**Connection settings**

Profile

New profile [New] [Delete]

Credentials

Enter your SIP account credentials

Extension: 36866736

ID: 36866736

Password: \*\*\*\*\*

My location

Specify the IP of your PBX/SIP server

I am in the office - local IP sip.nomado.eu of PBX

I am out of the office - extern IP of PBX

Tunnel

3CX uses proxy RTP&SIP over a single port

Use tunnel

Local IP of remote PBX: [ ]

Tunnel password: \*\*\* Port: 5090

[Advanced settings] [OK] [Cancel]

